



MATERIAL SAFETY DATA

EDITION: 3 DATE: Dec 2004

1. PRODUCT

NAME: weber CL150

Chemical Nature

An aqueous solution of a biocide based on benzalkonium chloride used as a masonry treatment to kill fungal growths prior to the application of facade products.

Manufacturer

weber building solutions
Saint-Gobain Weber Limited
Dickens House
Enterprise Way
Flitwick
Bedford.
MK45 5BY.

EMERGENCY TELEPHONE NUMBER. 08703 330070

2. COMPOSITION

Contains < 5% benzalkonium as a solution in water.

EEC Symbol: Xn Harmful R Phrases: R21/22.

3. HAZARDS IDENTIFICATION

Harmful in contact with skin and if swallowed.

4. FIRST AID MEASURES

SKIN CONTACT: Immediately wash with soap and water. If skin irritation occurs seek medical attention

EYE CONTACT: Rinse immediately with water for at least 15 minutes. Seek medical attention immediately

INHALATION: Move affected person to fresh air. If symptoms persist seek medical attention

INGESTION: Immediately rinse mouth repeatedly with water. Do not induce vomiting. Seek medical attention

5. FIRE-FIGHTING MEASURES

Essentially non-flammable.

Exposure hazards

Do not release chemically contaminated water into drains, soil or surface water. Dispose of contaminated water and soil according to local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Avoid contact with skin, eyes and clothing.

Environmental Precautions

Prevent contamination of soil drains and surface water.

Methods for Cleaning

Take up with absorbent, dry inert material and place in a suitable and closable container for disposal according to local regulations.

7. HANDLING AND STORAGE

Handling

Ensure good ventilation. Do not eat or drink in workplace.

Storage

Store away from food and drink. Store in original undamaged containers securely closed in frost-free conditions away from direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Technical Protective Measures

No special measures required

Exposure Limits

None applicable

Respiratory Protection

Not normally necessary. Work in well ventilated area. Wear suitable vapour Mask if working in confined spaces.

Hand Protection

Wear suitable gloves

Eye Protection

Wear suitable goggles or face protection.

Skin Protection

Wear suitable overalls and closed footwear.

9. PHYSICAL AND CHEMICAL PROPERTIES

weber CL150 is a low viscosity aqueous solution.

Colour:	Colourless
Odour:	Odourless
Density at 20°C	0.990 +/- 0.01gcm ⁻³

10. STABILITY AND REACTIVITY

Materials to avoid: Strong oxidizing agents

No dangerous reactions or decomposition products known.

11. TOXICOLOGICAL INFORMATION

Essentially low toxicity as supplied.

12. ECOLOGICAL INFORMATION

Prevent contamination of soil, drains or surface water. No other specific information available.

13. DISPOSAL CONSIDERATIONS

Disposal through special waste contractor in accordance with local regulations. Contaminated packaging material should be washed with plenty of water and disposed as building waste

14. TRANSPORT INFORMATION

Not hazardous for transport purposes

15. REGULATORY INFORMATION

Symbol:	Xn, Harmful
Contains:	<5% benzalkonium chloride

R Phrases:

R21/22	Harmful in contact with skin and if swallowed.
--------	--

S Phrases:

S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S28	After contact with skin, wash immediately with plenty of soap and water.
S37/39	Wear suitable gloves and eye/face protection.

16. OTHER INFORMATION

None.

This safety sheet has been prepared in accordance with the provisions of the EC SDS Directive 91/155.