



SAFETY DATA SHEET

IDENDEN BRUSHABLE VAPOUR BARRIER COATING 30-150

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME: IDENDEN BRUSHABLE VAPOUR BARRIER COATING 30-150

PART No.: 996205, 996229, 996243, 996120, 996014

SUPPLIER: BOSTIK FINDLEY LIMITED
COMMON ROAD
STAFFORD. ST16 3EH
STAFFORDSHIRE
Tel: +44 1785 272727
Fax: +44 1785 257236

EMERGENCY TELEPHONES: +44 1785 255141 +44 1785 272650

2. COMPOSITION/INFORMATION ON INGREDIENTS

NAME			CONTENT
CAS No.:	EINECS Nr.:	CLASSIFICATION	
AMMONIUM HYDROXIDE			0-1 %
1336-21-6	215-647-6	C ,N R-34, 50	

The Full Text for all R-Phrases are Displayed in Section 16

3. HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

4. FIRST AID MEASURES

GENERAL: General first aid, rest, warmth and fresh air.

INHALATION: Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION: DO NOT induce vomiting. Get medical attention immediately.

SKIN: Remove affected person from source of contamination. Rinse the skin immediately with lots of water. Get medical attention if irritation persists after washing.

EYES: Rinse the eye with water immediately. Continue to rinse for at least 15 minutes and get medical attention.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:	This material is not flammable. Use extinguishing media appropriate for surrounding fire.
HAZARDOUS COMBUSTION PRODUCTS:	Fire or high temperatures create: Toxic gases/vapors/fumes of: Carbon dioxide (CO ₂). Carbon monoxide (CO).
PROTECTIVE MEASURES IN FIRE:	Wear self contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

SPILL CLEANUP METHODS:	Stop leak if possible without risk. Do not contaminate water sources or sewer. Pick up with vacuum or absorbent solid, store in closed container for disposal. Avoid generation and spreading of dust. Avoid contact with skin or inhalation of spillage, dust or vapour. Wear necessary protective equipment. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.
-------------------------------	--

7. HANDLING AND STORAGE

USAGE PRECAUTIONS:	Avoid spilling, skin and eye contact. Do not handle broken packages without protective equipment. Use mechanical ventilation in case of handling which causes formation of dust.
STORAGE PRECAUTIONS:	Keep in cool, dry, ventilated storage and closed containers. Keep in original container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

INGREDIENT NAME:	CAS No.:	STD	LT EXP 8 Hrs	ST EXP 15 Min
AMMONIUM HYDROXIDE	1336-21-6	OES	25 ppm	35 ppm

INGREDIENT COMMENTS: OES = Occupational Exposure Standard. MEL = Maximum Exposure Limit.

PROTECTIVE EQUIPMENT:



PROCESS CONDITIONS:	Use engineering controls to reduce air contamination to permissible exposure level.
VENTILATION:	All handling to take place in well ventilated area.
RESPIRATORS:	Wear respirator if there is dust formation.
PROTECTIVE GLOVES:	Use suitable protective gloves if risk of skin contact. Use thin cotton gloves inside the rubber gloves if allergy risk.
EYE PROTECTION:	If risk of splashing, wear safety goggles or face shield.
OTHER PROTECTION:	Wear suitable protective clothing as protection against splashing or contamination.
HYGIENIC WORK PRACTICES:	Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing

that becomes contaminated. No eating or drinking while working with this material. Wash at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Emulsion.		
COLOUR:	Varying.		
DENSITY/SPECIFIC GRAVITY (g/ml):	1.0	Temperature (°C):	
SOLUBILITY DESCRIPTION:	Miscible with water.		

10. STABILITY AND REACTIVITY

STABILITY:	Normally stable.
CONDITIONS TO AVOID:	Avoid excessive heat for prolonged periods of time.
HAZARDOUS POLYMERIZATION:	Unknown.
HAZARDOUS DECOMP. PRODUCTS:	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO ₂).

11. TOXICOLOGICAL INFORMATION

HEALTH WARNINGS:	Dust may irritate respiratory system. Serious long-term effects are not known to be related to this type of product. Particles in the eyes may cause irritation and smarting. Liquid or powder may irritate the skin. May cause discomfort if swallowed.
-------------------------	--

12. ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:	Not regarded as dangerous for the environment.
--------------------------------	--

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:	Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical.
--------------------------	---

14. TRANSPORT INFORMATION

ADR CLASS:	Not classified for transportation.
MARINE POLLUTANT:	No.

15. REGULATORY INFORMATION

RISK PHRASES:	Not classified.
SAFETY PHRASES:	Not classified.
STATUTORY INSTRUMENTS:	Chemicals (Hazard Information and Packaging) Regulations.
APPROVED CODE OF PRACTICE:	Classification and Labelling of Substances and Preparations Dangerous for Supply.
GUIDANCE NOTES:	Occupational Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

16. OTHER INFORMATION

USER NOTES:	This product should be used as directed by Bostik Findley Ltd. For further information consult the product data sheet or contact Technical Services.
INFORMATION SOURCES:	This safety data sheet was compiled using current safety information supplied by distributor of raw materials.
REVISION COMMENTS:	This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact Bostik Findley Limited.
ISSUED BY:	Approved ID
REVISION DATE:	Feb 2004
REV. No./REPL. SDS GENERATED:	1
DATE:	Feb 2004
PRINTING DATE:	2004-02-23
R-PHRASES (Full Text):	R-34 Causes burns. R-50 Very toxic to aquatic organisms.