

# SBS

SYSTEMS AND SOLUTIONS FOR THE PLASTERING INDUSTRY

 **PROBEAD**

PROFESSIONAL PVCu BEADING

# THE COMPLETE SOLUTION

ProBead PVCu through-coloured beads provides a vast range of suitable profiles for both internal and external beading applications, and complements all modern and traditional rendering methods.

All products are continually monitored at the time of production to ensure they comply with the high standards set by the International Quality System ISO 9001:2000

At SAS (Europe) we take feedback from our partners very seriously to further develop our products and ensure they will meet the requirements of the market place.



# PROBEAD PROFESSIONAL

ProBead PVCu plasterers beads are manufactured from high impact and ultra violet resistant PVCu conforming to BS7413 for extruded profiles and conform in fire conditions to BS476 part 12: 1991.

The 25 available profiles cover the 7 major areas of application: corners, stop ends, expansion or movement joints, bellcast (to provide a traditional drip), drywall beads and Ashlar (rustification) detail beads; they can be applied either externally or internally. ProBead plasterers beads are available in 12 standard colours, 37 custom colours and have the ability to be matched to RAL and BS colours on request.

Although the range of profiles and colours are already extensive, ProBead UK Ltd continue to develop new bead products and enhance existing profiles to meet rising market demands. Most recently this has included the introduction of the PE15 plasterboard edge bead for use with 15mm thick plasterboard.

Practical benefits of ProBead profiles for the applicator include:

- Lightweight and easy to cut compared to traditional metal beads
- Cost-effective
- Excellent keying – reducing plaster or render wastage
- Non-corrosive – no staining on the walls from rust
- Non-flammable
- 25 year guarantee against failure





Dry Wall Bead






Angle Bead



Bellcast Bead

## Bead Profiles

Dry Wall Beads	Colour	Coating Depth	Description
AB2	White	2mm	Drylining bead providing impact corners
AB2A	White	2mm	Angle arch bead forming curves and arches to minimum radius of 250mm – ideal for drylining and skim plaster
PE0	White	2mm	Plasterboard edge bead
PE12	White	2mm	12mm Clip-on plasterboard edge bead providing reinforcement
PE15	White	2mm	15mm Clip-on plasterboard edge bead providing reinforcement
SG15	White	2mm	15mm Shadow Gap Bead



## Render / Plaster Beads

### Standard Angle Beads







SAB6	All Colours	6-8mm
SAB10	All Colours	10-14mm
SAB15	All Colours	15-20mm

For external rendering to British standard and for scraped finishes - standard wing 40mm.

### Wide Angle Beads

WAB10	All Colours	10-14mm
WAB15	All Colours	15-20mm
WAB20	All Colours	20-25mm




For external rendering to British standard and for scraped finishes - wide wing 57mm.



## Bellcast Beads

3BC10	All Colours	6-10mm
3BC15	All Colours	10-15mm
3BC20	All Colours	15-20mm

The bellcast drip bead forms and protects the lower edge of render either at damp proof course or above a window.





Stop Bead



Expansion Bead





Ashlar Detail Bead

## Stop Beads

Stop beads are used at junctions of walls, ceilings and surrounds to openings such as windows. They are designed to finish and protect render and plaster edges.




	Colour	Coating Depth
SB4	All Colours	4mm
3SB6	All Colours	6mm
3SB10	All Colours	10mm
3SB15	All Colours	15mm
3SB20	All Colours	20mm



## Expansion Beads

Movement or expansion joints must be specified at substrate changes and joins. The joint can be flexed through 90° for internal corners.


EX6	White and Ivory	6mm
EX10	White and Ivory	10mm
EX15	White and Ivory	15mm
EX20	White and Ivory	20mm



## Ashlar Detail Bead

Ashlar detail bead is specifically designed to form the ashlar detail or rustification effect. It can either be bedded on or attached directly to blockwork. It provides a cost effective way of achieving ashlar detail by reduced labour and resulting in a neat 25mm detail which may be painted.

3AD25	All Colours	10mm
-------	-------------	------





## ProBead New Standard Colour Range

ProBead is the only manufacturer of through-coloured PVCu plasterers beads, offering 12 standard colours. These colours have been carefully selected to complement and match the most popular render shades to insure a professional finish.

For a colour match please contact SAS (Europe) Ltd for a sample of the colour you require



PRIMROSE



WILLOW



SAGE



PEACH




DOVE




OCEAN




IVORY




SUNBEAM




BAMBOO



CANDY



AFRICAN GREY



WHITE





## Custom Colours

In addition to the standard colours, and to offer a wider choice to architects, specifiers and contractors, we are able to supply the illustrated custom colour palette to order. Normally allow an additional 28 days for delivery.

Under special circumstances we may be able to match to RAL and BS colour references. Please call our sales team for further details.

					
Ebony 000 15 00	Dusk 250 50 15	Pineapple 075 60 70	Royal Blue 270 20 29	Chestnut Brown 050 30 10	Mirage 220 60 15
					
Yolk 070 80 60	Navy Blue 260 20 10	Claret 010 20 25	Pacific Blue 230 50 40	Citrus 090 80 90	Slate 240 04 05
					
Toffee 050 50 40	Mercury Blue 260 40 45	Lava 030 40 50	Racing Green 170 30 25	Dolphin 00 55 00	Mid Blue 270 30 45
					
Sunset 040 50 70	Artic Moss 180 40 20	Grape 095 60 20	Purple 320 30 27	Carrot 050 50 70	Marine Blue 190 40 45
					
Mushroom 070 70 20	Baby Blue 220 80 25	Tropical Pearl 050 60 50	Fern Green 140 50 60	Putty 070 70 10	Mistral 240 90 05
					
Shrimp Pink 010 60 30	Pistachio Green 140 70 30	Inca Gold 070 60 20	Lavender 300 80 10		
					
Brick 30 55 55 0	Dewdrop 130 90 20	Pastel Pink 350 80 15			





## Products Accreditation

Our products can be seen extensively used by most of the national house and property developers.

Having achieved the latest International Standard ISO 9001:2000, SAS (Europe) Ltd. are the core team that support the ProBead, ProMesh, ProRend and Strikolith product ranges.

You can rely on our business systems and excellent customer service to ensure fast delivery and prompt, efficient handling of orders. In addition, our commitment to high product standards and exemplary customer services has earned us the Investor in People award.

Information contained in this brochure was correct at time of going to press. SAS (Europe) Ltd. reserve the right to make product changes as part of our continuing commitment to improve our product ranges.

Pictures courtesy of ProBead UK Ltd and SAS (Europe) Ltd.

## Free Technical Advice

We pride ourselves in the level of technical knowledge and customer service we offer; technical support is free. Our technical support team is available during office hours to answer any technical questions. Brochures and data sheets are available for our full product range.

## Office Hours:

Monday to Thursday 8am – 5pm

Friday 8am – 4.30pm

## National Delivery

Under normal circumstances all standard SAS products, except render, are delivered next working day.



**SAS (EUROPE) LTD - CHERITON BISHOP**

**EXETER - EX6 6JE - UNITED KINGDOM**

**T +44 (0)1647 24620 F +44 (0)1647 24020**

**E info@sas-europe.com www.sas-europe.com**